

L Number	Hits	Search Text	DB	Time stamp
-	0	("associat\$5 near5 messag\$3 with (client or user)").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/01 23:18
-	3042	associat\$5 near5 messag\$3 with (client or user)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/01 23:30
-	15186	(cluster).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/01 23:18
-	5067	(cluster).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/01 23:18
-	6032	(cluster).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/01 23:18
-	853	cluster near2 node	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/01 23:19
-	989	cluster near2 network\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/01 23:19
-	20729	((cluster).ab.) or ((cluster).ti.) or ((cluster).clm.) or (cluster near2 node) or (cluster near2 network\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/25 14:44
-	272	(cluster and error).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/01 23:21
-	161	(cluster and event).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/01 23:21
-	20729	((cluster).ab.) or ((cluster).ti.) or ((cluster).clm.) or (cluster near2 node) or (cluster near2 network\$3) or ((cluster and error).ab.) or ((cluster and event).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/01 23:22
-	39	(associat\$5 near5 messag\$3 with (client or user)) and (((cluster).ab.) or ((cluster).ti.) or ((cluster).clm.) or (cluster near2 node) or (cluster near2 network\$3)) or ((cluster and error).ab.) or ((cluster and event).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/01 23:22
-	12	((associat\$5 near5 messag\$3 with (client or user)) and (((cluster).ab.) or ((cluster).ti.) or ((cluster).clm.) or (cluster near2 node) or (cluster near2 network\$3)) or ((cluster and error).ab.) or ((cluster and event).ab.))) and (detect\$5 with (error or fail\$5 or event))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/01 23:34
-	6	((associat\$5 near5 messag\$3 with (client or user)) and (((cluster).ab.) or ((cluster).ti.) or ((cluster).clm.) or (cluster near2 node) or (cluster near2 network\$3)) or ((cluster and error).ab.) or ((cluster and event).ab.))) and (detect\$5 with (error or fail\$5 or event))) and @ad<20000922	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/01 23:39

-	2	(distributed near3 object) same report\$5 near5 (error or fail\$5 or event)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/02 13:27
-	259855	((distributed near3 object) same report\$5 near5 (error or fail\$5 or event)) and (stor\$5 or record\$5 or log\$3) messag\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/02 12:49
-	2	(distributed near3 object) same (report\$5 near5 (error or fail\$5 or event))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/02 14:46
-	0	((distributed near3 object) same (report\$5 near5 (error or fail\$5 or event))) and (object near5 interfac\$5 with (client or user))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/02 13:29
-	2	((distributed near3 object) same (report\$5 near5 (error or fail\$5 or event))) and interfac\$5 with (client or user or object)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/02 13:29
-	2	((distributed near3 object) same (report\$5 near5 (error or fail\$5 or event))) and messag\$3 with (client or user or object)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/02 13:32
-	1	((distributed near3 object) same (report\$5 near5 (error or fail\$5 or event))) and interact\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/02 13:32
-	2	((distributed near3 object) same (report\$5 near5 (error or fail\$5 or event))) and interfac\$5 with (client or user or object) and messag\$3 with (client or user or object)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/02 13:32
-	1	((distributed near3 object) same (report\$5 near5 (error or fail\$5 or event))) and messag\$3 with (client or user or object) and interact\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/02 14:41
-	60	(distributed near3 object) same ((report\$5 or messag\$5 or notif\$7) near5 (error or fail\$5 or event))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/02 14:46
-	507	(distributed near3 object) and (report\$5 near5 (error or fail\$5 or event))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/25 14:50
-	1346	(distributed near3 object) and ((report\$5 or messag\$5 or notif\$7) near5 (error or fail\$5 or event))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/02 15:13
-	11439	(register\$5 or subscrib\$5) with master	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/02 15:31
-	45	((distributed near3 object) and ((report\$5 or messag\$5 or notif\$7) near5 (error or fail\$5 or event))) and ((register\$5 or subscrib\$5) with master)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/02 15:09
-	12	((distributed near3 object) and ((report\$5 or messag\$5 or notif\$7) near5 (error or fail\$5 or event))) and ((register\$5 or subscrib\$5) with master) and associat\$5 with (messag\$5 or error or fail\$5 or event) with (client or user or subscrib\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/02 15:15
-	1690	(distributed near3 object) and ((report\$5 or messag\$5 or notif\$7) near5 (error or fail\$5 or event))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/02 15:13

-	2	(((((cluster\$5.ab. or cluster\$5.ti. or cluster\$5.clm.) and (distribu\$6 near5 (comput\$6 or network\$3 or object))) and (report\$5 near5 (error or fail\$5 or event))) and (user or client or subscrib\$5 or request\$5) near3 (session or connection or status or list or map\$5 or messag\$6 or login)) and (fail?over or fail?save)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/25 16:24
-	27	(((((cluster\$5.ab. or cluster\$5.ti. or cluster\$5.clm.) and (distribu\$6 near5 (comput\$6 or network\$3 or object))) and (report\$5 near5 (error or fail\$5 or event))) and (user or client or subscrib\$5 or request\$5) near3 (session or connection or status or list or map\$5 or messag\$6 or login)) and @ad<20000922	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/25 15:19
-	1150	(cluster\$5.ab. or cluster\$5.ti. or cluster\$5.clm.) and (distribu\$6 near5 (node or network\$3 or object))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/25 15:16
-	100	((cluster\$5.ab. or cluster\$5.ti. or cluster\$5.clm.) and (distribu\$6 near5 (node or network\$3 or object))) and (report\$5 near5 (error or fail\$5 or event))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/25 19:15
-	64	(((((cluster\$5.ab. or cluster\$5.ti. or cluster\$5.clm.) and (distribu\$6 near5 (node or network\$3 or object))) and (report\$5 near5 (error or fail\$5 or event))) and (user or client or subscrib\$5 or request\$5) near5 (session or connection or status or list or map\$5 or messag\$6 or login)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/25 16:39
-	52	(((((cluster\$5.ab. or cluster\$5.ti. or cluster\$5.clm.) and (distribu\$6 near5 (node or network\$3 or object))) and (report\$5 near5 (error or fail\$5 or event))) and (user or client or subscrib\$5 or request\$5) near5 (session or connection or status or list or map\$5 or messag\$6 or login) with (map\$5 or list\$5 or record\$5 or log\$4 or stor\$5 or sav\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/25 15:18
-	52	(((((cluster\$5.ab. or cluster\$5.ti. or cluster\$5.clm.) and (distribu\$6 near5 (node or network\$3 or object))) and (report\$5 near5 (error or fail\$5 or event))) and (user or client or subscrib\$5 or request\$5) near5 (session or connection or status or list or map\$5 or messag\$6 or login) with (map\$5 or list\$5 or record\$5 or log\$4 or stor\$5 or sav\$5 or stack\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/25 15:19
-	3	(((((cluster\$5.ab. or cluster\$5.ti. or cluster\$5.clm.) and (distribu\$6 near5 (node or network\$3 or object))) and (report\$5 near5 (error or fail\$5 or event))) and (user or client or subscrib\$5 or request\$5) near5 (session or connection or status or list or map\$5 or messag\$6 or login) with (map\$5 or list\$5 or record\$5 or log\$4 or stor\$5 or sav\$5 or stack\$5)) and (fail?over or fail?save)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/25 15:19

-	19	(((((cluster\$5.ab. or cluster\$5.ti. or cluster\$5.clm.) and (distribu\$6 near5 (node or network\$3 or object))) and (report\$5 near5 (error or fail\$5 or event))) and (user or client or subscrib\$5 or request\$5) near5 (session or connection or status or list or map\$5 or messag\$6 or login) with (map\$5 or list\$5 or record\$5 or log\$4 or stor\$5 or sav\$5 or stack\$5)) and @ad<20000922	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/25 15:29
-	61	(((((cluster\$5.ab. or cluster\$5.ti. or cluster\$5.clm.) and (distribu\$6 near5 (node or network\$3 or object))) and (report\$5 near5 (error or fail\$5 or event))) and (user or client or subscrib\$5 or request\$5) near5 (session or connection or status or list or map\$5 or messag\$6 or login)) and (user or client or subscrib\$5 or request\$5) near5 (report\$4 or communicat\$4 or transmi\$6 or send\$5 or message)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/25 19:19
-	26	(((((cluster\$5.ab. or cluster\$5.ti. or cluster\$5.clm.) and (distribu\$6 near5 (node or network\$3 or object))) and (report\$5 near5 (error or fail\$5 or event))) and (user or client or subscrib\$5 or request\$5) near5 (session or connection or status or list or map\$5 or messag\$6 or login)) and (user or client or subscrib\$5 or request\$5) near5 (report\$4 or communicat\$4 or transmi\$6 or send\$5) near5 (error or event or message)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/25 16:25
-	9	(((((cluster\$5.ab. or cluster\$5.ti. or cluster\$5.clm.) and (distribu\$6 near5 (node or network\$3 or object))) and (report\$5 near5 (error or fail\$5 or event))) and (user or client or subscrib\$5 or request\$5) near5 (session or connection or status or list or map\$5 or messag\$6 or login)) and (user or client or subscrib\$5 or request\$5) near5 (report\$4 or communicat\$4 or transmi\$6 or send\$5) near5 (error or event or message)) and @ad<20000922	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/25 16:43
-	12	(((((cluster\$5.ab. or cluster\$5.ti. or cluster\$5.clm.) and (distribu\$6 near5 (comput\$6 or network\$3 or object))) and (report\$5 near5 (error or fail\$5 or event))) and (user or client or subscrib\$5 or request\$5) near3 (session or connection or status or list or map\$5 or messag\$6 or login)) and (failover or failsave)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/25 16:24
-	31	(((((cluster\$5.ab. or cluster\$5.ti. or cluster\$5.clm.) and (distribu\$6 near5 (node or network\$3 or object))) and (report\$5 near5 (error or fail\$5 or event))) and (user or client or subscrib\$5 or request\$5) near5 (session or connection or status or list or map\$5 or messag\$6 or login)) and (user or client or subscrib\$5 or request\$5) near5 (report\$4 or communicat\$4 or transmi\$6 or send\$5) with (error or event or message or alert or alarm or fault)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/25 16:26

-	4	((((cluster\$5.ab. or cluster\$5.ti. or cluster\$5.clm.) and (distribu\$6 near5 (node or network\$3 or object))) and (report\$5 near5 (error or fail\$5 or event))) and (user or client or subscrib\$5 or request\$5) near5 (session or connection or status or list or map\$5 or messag\$6 or login)) and (user or client or subscrib\$5 or request\$5) near5 (report\$4 or communicat\$4 or transmi\$6 or send\$5) with (error or event or message or alert or alarm or fault)) and (format\$5 or formulat\$5) with (error or event or message or alert or alarm or fault)) and (format\$5 or formulat\$5) near10 message	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/25 16:55
-	12	((((cluster\$5.ab. or cluster\$5.ti. or cluster\$5.clm.) and (distribu\$6 near5 (node or network\$3 or object))) and (report\$5 near5 (error or fail\$5 or event))) and (user or client or subscrib\$5 or request\$5) near5 (session or connection or status or list or map\$5 or messag\$6 or login)) and (user or client or subscrib\$5 or request\$5) near5 (report\$4 or communicat\$4 or transmi\$6 or send\$5) with (error or event or message or alert or alarm or fault)) and (format\$5 or formulat\$5) with (error or event or message or alert or alarm or fault))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/25 16:28
-	15	(((cluster\$5.ab. or cluster\$5.ti. or cluster\$5.clm.) and (distribu\$6 near5 (node or network\$3 or object))) and (report\$5 near5 (error or fail\$5 or event))) and (user or client or subscrib\$5 or request\$5) near5 (map\$5 or associat\$6 or link\$3 or relat\$5) near5 (messag\$5 or error or event or fail\$6 or fault)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/25 16:33
-	54	(((cluster\$5.ab. or cluster\$5.ti. or cluster\$5.clm.) and (distribu\$6 near5 (node or network\$3 or object))) and (report\$5 near5 (error or fail\$5 or event))) and (user or client or subscrib\$5 or request\$5) near5 (session or connection or status or map\$5 or messag\$6 or login or transaction or request\$5) same (error or event or fail\$6 or fault or report\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/25 16:42
-	61	(((cluster\$5.ab. or cluster\$5.ti. or cluster\$5.clm.) and (distribu\$6 near5 (node or network\$3 or object))) and (report\$5 near5 (error or fail\$5 or event))) and (user or client or subscrib\$5 or request\$5) near5 (session or connection or status or map\$5 or messag\$6 or login or transaction or request\$5) same (error or event or fail\$6 or fault or report\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/25 16:42

-	55	(((((cluster\$5.ab. or cluster\$5.ti. or cluster\$5.clm.) and (distribu\$6 near5 (node or network\$3 or object))) and (report\$5 near5 (error or fail\$5 or event))) and (user or client or subscrib\$5 or request\$5) near5 (session or connection or status or map\$5 or messag\$6 or login or transaction or request\$5) same (error or event or fail\$6 or fault or report\$5)) and (error or event or fail\$6 or fault or report\$5 or request\$5 or dialog\$5) near10 messag\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/25 16:42
-	22	(((((cluster\$5.ab. or cluster\$5.ti. or cluster\$5.clm.) and (distribu\$6 near5 (node or network\$3 or object))) and (report\$5 near5 (error or fail\$5 or event))) and (user or client or subscrib\$5 or request\$5) near5 (session or connection or status or map\$5 or messag\$6 or login or transaction or request\$5) same (error or event or fail\$6 or fault or report\$5)) and (error or event or fail\$6 or fault or report\$5 or request\$5 or dialog\$5) near10 messag\$3) and @ad<20000922	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/25 16:43
-	7	(((((cluster\$5.ab. or cluster\$5.ti. or cluster\$5.clm.) and (distribu\$6 near5 (node or network\$3 or object))) and (report\$5 near5 (error or fail\$5 or event))) and (user or client or subscrib\$5 or request\$5) near5 (session or connection or status or map\$5 or messag\$6 or login or transaction or request\$5) same (error or event or fail\$6 or fault or report\$5)) and (error or event or fail\$6 or fault or report\$5 or request\$5 or dialog\$5) near10 messag\$3) and (format\$5 or formulat\$5) near10 message	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/25 19:21
-	29867	(cluster\$5.ab. or cluster\$5.ti. or cluster\$5.clm.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/26 13:53
-	262	((cluster\$5.ab. or cluster\$5.ti. or cluster\$5.clm.)) and (report\$5 or messag\$5 or communicat\$6 or inform\$5 or notif\$6) near5 (error or fail\$5 or event) near5 (client or user or subscrib\$5 or request\$5 or customer or consumer)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/25 19:39
-	137	((cluster\$5.ab. or cluster\$5.ti. or cluster\$5.clm.)) and (report\$5 or messag\$5 or communicat\$6 or inform\$5 or notif\$6) near5 (error or fail\$5 or event) near5 (client or user or subscrib\$5 or request\$5 or customer or consumer)) and (user or client or subscrib\$5 or request\$5 or request\$5 or consumer or customer) near5 (session or connection or status or login)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/25 19:23
-	26	(((((cluster\$5.ab. or cluster\$5.ti. or cluster\$5.clm.)) and (report\$5 or messag\$5 or communicat\$6 or inform\$5 or notif\$6) near5 (error or fail\$5 or event) near5 (client or user or subscrib\$5 or request\$5 or customer or consumer)) and (user or client or subscrib\$5 or request\$5 or request\$5 or consumer or customer) near5 (session or connection or status or login)) and (format\$5 or formulat\$5) near10 message	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/25 19:21

-	23	(((((cluster\$5.ab. or cluster\$5.ti. or cluster\$5.clm.)) and (report\$5 or messag\$5 or communicat\$6 or inform\$5 or notif\$6) near5 (error or fail\$5 or event) near5 (client or user or subscrib\$5 or request\$5 or customer or consumer)) and (user or client or subscrib\$5 or request\$5 or request\$5 or consumer or customer) near5 (session or connection or status or login)) and (format\$5 or formulat\$5) near5 message	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/25 19:24
-	126	(((((cluster\$5.ab. or cluster\$5.ti. or cluster\$5.clm.)) and (report\$5 or messag\$5 or communicat\$6 or inform\$5 or notif\$6) near5 (error or fail\$5 or event) near5 (client or user or subscrib\$5 or request\$5 or customer or consumer)) and (user or client or subscrib\$5 or request\$5 or request\$5 or consumer or customer) near5 (session or connection or status or login)) and (user or client or subscrib\$5 or request\$5 or request\$5 or consumer or customer) near5 (report\$4 or communicat\$4 or transmi\$6 or send\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/26 13:54
-	29	(((((cluster\$5.ab. or cluster\$5.ti. or cluster\$5.clm.)) and (report\$5 or messag\$5 or communicat\$6 or inform\$5 or notif\$6) near5 (error or fail\$5 or event) near5 (client or user or subscrib\$5 or request\$5 or customer or consumer)) and (user or client or subscrib\$5 or request\$5 or request\$5 or consumer or customer) near5 (session or connection or status or login)) and (user or client or subscrib\$5 or request\$5 or request\$5 or consumer or customer) near5 (report\$4 or communicat\$4 or transmi\$6 or send\$5)) and (format\$5 or formulat\$5) near5 (error or fail\$5 or fault or event or message or status)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/25 19:25
-	294	((cluster\$5.ab. or cluster\$5.ti. or cluster\$5.clm.)) and (report\$5 or messag\$5 or communicat\$6 or inform\$5 or notif\$6) near5 (error or fail\$5 or event or alarm or alert) near5 (client or user or subscrib\$5 or request\$5 or customer or consumer)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/25 19:42
-	1	((cluster\$5.ab. or cluster\$5.ti. or cluster\$5.clm.)) and (report\$5 or messag\$5 or communicat\$6 or inform\$5 or notif\$6) near5 (error or fail\$5 or event or alarm or alert) near5 (client or user or subscrib\$5 or request\$5 or customer or consumer) with (meaningful or descriptive or understandable)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/25 19:41
-	1	((cluster\$5.ab. or cluster\$5.ti. or cluster\$5.clm.)) and (report\$5 or messag\$5 or communicat\$6 or inform\$5 or notif\$6) near5 (error or fail\$5 or event or alarm or alert) near5 (client or user or subscrib\$5 or request\$5 or customer or consumer)) and (report\$5 or messag\$5 or communicat\$6 or inform\$5 or notif\$6) near5 (error or fail\$5 or event or alarm or alert) near5 (meaningful or descriptive or understandable)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/25 19:42

-	11	((messag\$5 near5 (associat\$6 or relat\$5) near5 (client or user or subscrib\$5 or customer or consumer or requesting or requestor or visitor or person or individual)) and ((cluster\$5 near5 (node or server or content or www or internet or web or network\$5 or file or servic\$5)) and ((report\$5 or communicat\$6 or inform\$5 or notif\$6 or transmi\$6 or receiv\$5 or send\$3) near5 (error or fail\$5 or event or fault) near5 (client or user or subscrib\$5 or customer or consumer or requesting or requestor or visitor or person or individual)))) and (detect\$5 or identif\$6) near5 (error or fail\$5 or event or fault)) and interfac\$5 near5 (client or user or subscrib\$5 or customer or consumer or requesting or requestor or visitor or person or individual) same object\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/26 17:58
-	2	((messag\$5 near5 (associat\$6 or relat\$5) near5 (client or user or subscrib\$5 or customer or consumer or requesting or requestor or visitor or person or individual)) and ((cluster\$5 near5 (node or server or content or www or internet or web or network\$5 or file or servic\$5)) and ((report\$5 or communicat\$6 or inform\$5 or notif\$6 or transmi\$6 or receiv\$5 or send\$3) near5 (error or fail\$5 or event or fault) near5 (client or user or subscrib\$5 or customer or consumer or requesting or requestor or visitor or person or individual)))) and (detect\$5 or identif\$6) near5 (error or fail\$5 or event or fault)) and interfac\$5 near5 (associat\$6 or relat\$5) near5 (client or user or subscrib\$5 or customer or consumer or requesting or requestor or visitor or person or individual) with object\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/26 18:00
-	34	((messag\$5 near5 (associat\$6 or relat\$5) near5 (client or user or subscrib\$5 or customer or consumer or requesting or requestor or visitor or person or individual)) and ((cluster\$5 near5 (node or server or content or www or internet or web or network\$5 or file or servic\$5)) and ((report\$5 or communicat\$6 or inform\$5 or notif\$6 or transmi\$6 or receiv\$5 or send\$3) near5 (error or fail\$5 or event or fault) near5 (client or user or subscrib\$5 or customer or consumer or requesting or requestor or visitor or person or individual)))) and (detect\$5 or identif\$6) near5 (error or fail\$5 or event or fault)) and interfac\$5 near5 (client or user or subscrib\$5 or customer or consumer or requesting or requestor or visitor or person or individual)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/26 18:01